



SPECIMEN LABEL

SPECIMEN LABEL

PROFESSIONAL INSECT CONTROL® ROACH BAIT STATIONS

ROACH BAIT STATIONS

FOR USE IN COMMERCIAL, INDUSTRIAL AND RESIDENTIAL AREAS

ACTIVE INGREDIENT:

Fipronil* [5-amino-1-(2,6-dichloro-4-(trifluoromethyl) phenyl)-4-(1,R,S)-(trifluoromethyl) sulfinyl)-1H-pyrazole-3-carbonitrile]	0.05%
Other Ingredients:	99.95%
TOTAL:	100.00%

*CAS NO 120068-37-3

CONTAINS: 72 Child-Resistant Bait Stations

**KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE PRECAUTIONS BELOW**

MAXFORCE® FC Roach Bait Stations may be used for the control of small cockroaches, such as German or Brown-Banded roaches, in any area where cockroaches are a problem, such as residential, warehousing and commercial establishments, including food service, food manufacturing and food processing facilities, hospitals, nursing homes, schools, daycare centers, health care facilities, aircraft, basements, laboratories, computer and electronic equipment facilities, pet shops, zoos, buses, boats and trains. MAXFORCE® FC roach bait stations have an odorless bait that roaches eat even in the presence of other foods and is packaged in a child-resistant bait station. The patented transparent red top enables you to monitor bait consumption while providing roaches their preferred environment, darkness, because roaches do not see light in the red spectrum.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION: Wash thoroughly with soap and water after handling bait stations.

In case of emergency, call day or night, 1-800-426-6228.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage and disposal. STORAGE: Store in a cool dry area out of reach of children. DISPOSAL: Wrap bait stations in several layers of newspaper and discard in trash.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Place MAXFORCE® FC in areas where cockroaches have been seen and where they hide. Cockroaches infest dark, warm, damp locations.
2. The bait stations can be stuck to a vertical surface by peeling off the protective strip to expose adhesive.
3. For effective roach control use 4-6 bait stations per 100 square feet of horizontal surface area. Place adjacent to walls and flush in corners. Do not place more than 24 bait stations per residence. For outdoor use place stations adjacent to structure.
4. Do not spray the bait stations. Avoid placing the bait stations on freshly sprayed surfaces.
5. Roaches will begin eating the bait immediately and you should expect to see fewer roaches within 3 days.
6. Inspect all bait stations and replace as needed for continuous control of roaches.

**TOTAL NET WEIGHT
3.8 oz (108 g)
0.053 oz (1.5 g) per unit**

Maxforce website address: www.maxforce.com

Distributed by: 1997
Maxforce Insect Control
1221 Broadway
Oakland, CA 94612



EPA Reg. No. 64248-11
EPA Est. No. 5813-MS-01
Product Code No. 48000



PROFESSIONAL INSECT CONTROL® ROACH BAIT STATIONS



Material Safety Data Sheet

I Product: MAXFORCE® FC Professional Insect Control® Roach Bait Stations								
Description: FIPRONIL BASED FOOD BAIT IN A CHILD-RESISTANT PLASTIC STATION								
Other Designations:	Manufacturer	Emergency Telephone Number						
EPA REG NO: 64248-11	Maxforce Insect Control Systems 1221 Broadway Oakland, CA 94612 (510) 271-7000	For Medical Emergencies, call Rocky Mountain Poison Center: 1-800-446-1014 For Transportation Emergencies, call Chemtrec: 1-800-424-9300						
II Health Hazard Data		III Hazardous Ingredients						
<p>MAXFORCE® FC Professional Insect Control® Roach Bait Stations may be minimally irritating to skin following prolonged direct contact. It is not acutely toxic upon oral or dermal exposure.</p> <p>Untoward effects resulting from over-exposure are not anticipated to occur. The formulation is packaged in a child-resistant container.</p> <p>No known health conditions are aggravated by exposure to this product.</p> <p>Bait wt. per station: 1.5 grams</p>		<table border="1"> <thead> <tr> <th>Ingredient</th> <th>Concentration</th> <th>Worker Exposure Limit</th> </tr> </thead> <tbody> <tr> <td>Fipronil CAS #120068-37-3</td> <td>0.05% (w/w)</td> <td>^a0.1 mg/m³ ^b0.032 mg/m³</td> </tr> </tbody> </table> <p>None of the ingredients in this product is on the IARC, OSHA or NTP carcinogen list.</p> <p>Rhone-Poulenc TWA for: ^a3 month "on", 9 month "off" exposure ^b12 month daily exposure</p>	Ingredient	Concentration	Worker Exposure Limit	Fipronil CAS #120068-37-3	0.05% (w/w)	^a 0.1 mg/m ³ ^b 0.032 mg/m ³
Ingredient	Concentration	Worker Exposure Limit						
Fipronil CAS #120068-37-3	0.05% (w/w)	^a 0.1 mg/m ³ ^b 0.032 mg/m ³						
IV Special Protection and Precautions		V Transportation and Regulatory Data						
<p>None.</p> <p>Keep Out of Reach of Children and Pets.</p>		<p>U.S. DOT Hazard Class: Not restricted</p> <p>U.S. DOT Proper Shipping Name: Insecticide, non-toxic, solid. Not restricted.</p> <p>EPA CERCLA/SARA TITLE III: This product contains no CERCLA/SARA Title III materials.</p>						
VI Spill Procedures/Waste Disposal		VII Reactivity Data						
<p>Non-hazardous waste. Sweep up spilled material. Place in a container for disposal. Dispose in accordance with Local, State, and Federal regulations.</p>		<p>Stable under normal use and storage conditions.</p>						
VIII Fire and Explosion Data		IX Physical Data						
<p>Not flammable or Explosive. Flash Point: >200°F (TCC) Fire Extinguishing Media: Water, Foam CO₂ or dry chemical.</p>		<p>Specific gravity: 1.27 g/cc Melting Point: 60° C</p>						